

SAFETY DATA SHEET

1. Identification

Product Identifier

Hercules Sizzie

Other means of identification

Product code

7340E

Synonyms

Part Numbers: 20305, 20310

Recommended use

Drain opener and hard surface descaler

Recommended restrictions

Do not mix with caustic materials or bleach

Manufacturer/Importer/Supplier/Distributor information

Company Name

HCC Holdings, Inc. an Oatey Affiliate

Address

4700 West 160th Street

Cleveland, OH 44135

Telephone

216-267-7100

E-mall

info@oatey.com

Transport Emergency

Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid

1-877-740-5015

Contact person

MSDS Coordinator

2. Hazard(s) identification

Physical hazards

Not Classified

Health hazards

Acute Toxicity (Oral)

Cat 4

Skin Corrosion/Irritation

Cat 1B

Eye Damage/Irritation STOT-SE (Respiratory irritation)

Cat 1

Cat 3

Corrosive to Metais

OSHA defined hazards

This chemical is considered hazardous according to the OSHA Hazard Communication Standard

2012 (29 CFR 1910.1200)

Label elements

Hazard symbol



Signal word

Hazard statement

Danger

Harmful if swallowed. Causes severe skin burns and serious eye damage.

May cause respiratory irritation. May be corrosive to metals.

Precautionary statement

Prevention

Do not breathe fume/mist/vapors/spray.

Wash hands, face and any skin contact thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

Keep only in original container. Absorb spillage to prevent material damage.

Use only in a well-ventilated area

Response IF SWALLOWED: Rinse mouth. Do NOT induce vamiling.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

immediately call a POISON CENTER or doctor/physician.

Hercules Sizzle

SDS #7340E Version # 01 Revision date Issue date 12-May-2015

SDS US

Page 1 of 6

See 4. First-Aid Measures for specific treatment.

Storage

Store locked up in corrosive resistant container, in a well-ventilated place.

Keep container tightly closed.

Disposal

Dispose of contents/container to an approved disposal facility.

Hazard(s) not otherwise classified (HNOC)

None:

3. Composition/Information on Ingredients

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Chemical name	CAS number	56
Hydrochloric acid	7647-01-0	20 - 25
Water 1	7732-18-5	75 + 80
Other non-hazardous ingredients not specified		<1

First-aid measures

General Causes burns on contact. Harmful if swallowed. Causes severe skin burns and serious eye

damage. May cause respiratory irritation. Have product container/label with you when calling

paison control center/doctor, or going for treatment.

Inhalation Remove person to fresh air and keep comfortable for breathing. If person is not breathing, call

911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth to an unconscious person. If respiratory irritation, dizziness, or unconsciousness occurs, seek

immediate medical assistance.

Skin contact Remove contaminated clothing and wash before reuse. Wash contaminated area with soap and

water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present,

after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for

treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a glass

of water if able to swallow. Do not induce vorniting unless told to do so by the poison control center or doctor. Do not give anything by mouth to a person who is unconscious or convulsing. If vomiting occurs, keep head below hips to reduce risk of aspiration. Probable mucosal damage

may contraindicate the use of gastric lavage. Note to physician, treat symptomatically,

Fire-fighting measures

General information

Sultable extinguishing media

Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for

small fires only.

Do not use water in a jet.

No information available.

Unsultable extinguishing media

Specific hazards arising from

the chemical

Eve contact

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this material must be

contained and prevented from being discharged to any waterway, sewer or drain.

Specific methods General fire hazards

None

Accidental release measures.

Personal precautions. protective equipment and emergency procedures

Depending on the extent of release, consider the need for emergency responders with adequate personal protective equipment for clean-up, need for evacuation or restriction of access to spill

Personal Precautions: Provide adequate ventilation. Do not eat, drink or smoke during clean up. If necessary, use self-contained respirator, or filtered mask. Wear protective clothing, eye protection and impervious gloves (e.g. neoprene). Wash thoroughly after clean up. Small spills may be wiped up and rinsed with water. For larger spills, neutralize with sodium

Methods and materials for

Issue date: 12-Mey-2015

SDS US Page 2 of 6

Heroules Sizzle

SDS #7340E Version #: 01 Revision date:

containment and cleaning up

carbonate or absorb on inert material (e.g. sand). Pick up absorbent and dispose of at an

appropriate waste disposal facility.

Environmental precautions

Prevent spills from entering storm sewers/drains or contact with soil.

7. Handling and storage

Precautions for safe handling

Never use with chlorine products. Can react to give chlorine gas, If this occurs, flush tollet to remove chemicals and leave area. Do not return for half hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Do not use on any surface that can be damaged by acid materials. Do not breathe mist/vapors. Wash hands, face and any skin contact thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, protective clothing, eye protection, face protection. Use product only according to label directions. If unsure about safe use, contact your supervisor. Provide adequate ventilation in use

Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Do not contaminate water, food or feed by storage and disposal. Store locked up in tightly closed, original, corrosive resistant container in a cool (10" - 30"C), dry, well-ventilated area. Incompatible with alkali materials.

8. Exposure controls/personal protection

Occupational exposure limits

Exposure Limits

Components	Туре	Value
Hydrochloric Acid	ACGIH - TWA	2 ppm (C)
MATERIAL CONTROL OF THE CONTROL OF T	OSHA - PEL	5 ppm (C)

Biological limit values

Data Not available.

Appropriate engineering

Proper ventilation in accordance with good industrial hygiene should be provided.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Chemical resistant goggles and face protection:

Skin protection

Hand

Chemical-resistant, impervious gloves complying with an approved standard should be worn at

all times when handling chemical products if a risk assessment indicates this is necessary. Other Protective clothing (long sleeves, pants), eyewash, safety shower are always advisable when

working with chemicals.

Respiratory protection

Respiratory protection is not necessary under normal conditions of use. If necessary to prevent

exposure above occupational limits, use an approved cartridge style respirator.

Thermal hazards

General hygiene

considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance

Physical state

Liquid

Form

Liquid

Color

Yellow to light amber

Odor

Pungent Not available.

Odor threshold

<1 Neat

pH Melting point/freezing point

<-40 °F 195 °F

initial boiling point and boiling range

Flash point

None

Upper/lower flammability or explosive limits Flammability (imit - lower (%)

Not available

Flammability limit - upper (%)

Not available

Explosive limit - lower (%) Explosive limit - upper (%) Not available Not available

Vapor pressure Vapor density

Not available Not available

Hercules Sizzle

SDS #7340E Version # 01 Revision date: Issue date: 12-May-2015

SDS US

Page 3 of 6

Relative density Solubility(les)

Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature

Viscosity, kinematic Other information VOC (Weight %)

1.12

Completely soluble.

Not determined. Not applicable Not available Not determined/

< 0.1% by weight, < 1 g/L

10. Stability and reactivity

Reactivity

No specific reactivity test data is available. Under normal conditions of storage and use. hazardous reactions are not expected

Chemical stability

The product is stable.

Possibility of hazardous reaction

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid Incompatible materials

Contact with incompatible materials.

Hazardous decomposition

Mixing with bleach, alkali, or oxidizers may generate toxic gases.

products

Hydrogen chloride

11. Toxicological information

Acute Toxicity: Toxicity data is not available for this mixture. Data below are estimates based on summation methods.

Test	Results	Classification (A.0.4.1(c))	Basis (A 1 3.6.1)
Oral	> 350mg/kg	Category 4	Ingredient literature (Additive formula)
Dermal	> 2000mg/kg	Not applicable	Ingredient literature (Additive formula)
Inhalation	> 20 mg/L	200	Ingredient literature (Additive formula)
Eye Damage/Irritation	Corrosion	Category 1	Ingredient literature
Skin Damage/Irritation	Corrosion	Category 1B	Ingredient literature

Summary: Skin and eye contact are most likely routes of exposure. Exposure causes skin burns and serious eye damage. May cause respiratory tract irritation.

Subchronic/Chronic Toxicity

Results Classification Skin Sensitization Not a sensitizer Not applicable Ingredient literature.

Summary: Repeated or prolonged contact causes skin burns and eye damage. May cause respiratory fract irritation.

Carcinogens - Ingredients are not listed on the NTP Report on Carcinogens, *IARC Monographs or by OSHA

*IARC does list "strong inorganic acid mists" as carcinogenic, but under normal conditions, no exposure to acid mists occurs, Acid solutions are not listed.

Other data - No other toxicological information is available for this mixture.

12. Ecological Information

Ecotoxicity

Product/ingredient name Results Species Exposure Persistence and degradability Material is not persistent. All organic components > 1 % are readily biodegradable, Bio accumulative potential No evidence to suggest bio-accumulation will occur. Mobility in soil Accidental spillage may lead to penetration of soil and groundwater. However, due to degradability, no evidence suggests this would cause adverse ecological effects. Material will lower pH of affected area. Other adverse effects No known significant effects of critical hazards.

Harcules Sizzio

SDS #7340E Version #. 01 Revision date: Issue date: 12-May-2015

SDS US Page 4 of 6

Disposal considerations

Disposal Instructions

Do not contaminate water, food or feed by disposal. If material cannot be disposed of by use according to label directions, contact your State Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Rinse container after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill. If container is one gallon or less, wrap empty container in plastic bag and discard in trash.

Local disposal regulations

See above

Hazardous waste code

RCRA Class D002

14. Transportation information

DOT

UN number

UN1789

UN Proper Shipping Name

Hydrochloric acid solution

Transportation Hazard classes

8

Packing group Hazard Label:

Corrosive

IATA

UN number

UN1789

UN Proper Shipping Name

Hydrochloric acid solution

Transportation Hazard classes

Packing group

IĬ

IMDG

UN number

UN1789

UN Proper Shipping Name

Hydrochloric acid solution

Transportation Hazard classes

Packing group

Environmental hazards

RQ - 5000 lbs (Hydrochloric acid)

Marine polluntant

No

15. Regulatory Information

Inventory status: All components are listed on TSCA(US), EINECS/ELINCS(EU), DSL(Canada), AICS(Australia),

OSHA Hazard Communication Standard: This product meets the §1910.1200 definition of a "Hazardous Chemical".

Superfund Amendments and Reauthorization Act of 1985 Title III (EPCRA) Sections 311 and 312

Immediate (Acute) Health Hazard Yes Delayed (Chronic) Health Hazard No Fire Hazard Na

Reactive Hazard No Sudden Release of Pressure Hazard No

Superfund Amendments and Reauthorization Act of 1986 Title III (EPCRA) Section 313

*Chemicals marked with an asterisk in *3. Composition/Information on Ingredients" are subject to reporting requirements for Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40CFR Part 372.

Pennsylvania/New Jersey/Massachusetts Right to Know

See '3. Composition/ Information on Ingredients' for hazardous and top five ingredients over 1%.

California Proposition 65: This product does not contain a listed substance known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

16. Other information, including date of preparation or last revision

issue Date

12-May-2015

Revision Date

Version #

O1 Health: 1

HMIS Rating

Flammability: 1 Physical Hazards: 0

Hercules Sizzle

50S #7340E Version #, 01 Revision date: Issue date: 12-May-2015 SDS US

Page 5 of 6

Disclaimer

HCC Holdings Inc. an Oatey Affiliate cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.